

**1. Product**

Maritime safety signs

**2. Product Description**

Rigid plastic, 1mm thickness, antistatic surface and easy to clean.


**3. Application**

According to  Everlux<sup>®</sup> IMO catalogue, in chapter "Mounting Options".

**4. Fire reaction**

The material has a good fire resistance and does not help to the propagation of fire, being classified as flame-retardant (in accordance to Norm IEC 60092-101:2002).

**5. Dimensions, Pictograms and Colours**

The products are in conformity to  Everlux<sup>®</sup> catalogue and according to National and International Norms and Legislation.

**6. Printing**

Serigraphy: high quality gloss paint with UV resistance.

**7. Cleanliness**

The products do not require any particular attention, clean with a dry clean cloth or a cloth humidified with water (without detergents).

**8. Guarantee**


In normal conditions of mounting and adequate cleanness, the products have an indoor durability in excess of 5 years.

For exterior applications, considering exposition to varying temperatures, humidity and other extreme environments, this guarantee can be diminished.

**9. Health and safety**

The product does not contain any radioactive substances. In toxic terms the product is considered as safe (European norm EN 71-3).

**10. Quality and Certification**


The quality of  **Everlux**<sup>®</sup> products is ensured by a rigorous process of quality control with tests in our own laboratory observing all applicable norms;

**11. Legislation and Normative references**

All of our signs are in conformity to the following norms:

- ISO 24409-1:2010
- ISO 7010:2011
- ISO 3864-1:2011
- ISO 3864-2:2004
- ISO 17631:2002
- ISO 15370: 2010
- ISO 14726:2008
- ISO 20712-1:2008
  
- BS 5499-1:2002
- BS 5499-1:2002
- BS 5499-11:2002
  
- IMO Resolution A.654 [16]
- IMO Resolution A.752 [18]
- IMO Resolution A.760 [18]
- IMO Resolution A.952 [23]
- Solas Convention 2004 chapter II-2 Reg. 13.3.2.5
- Solas Convention 2004 chapter II-2 Reg. 13.7.2.2
- Solas Convention 2004 chapter III-2 Reg. 9.2.3
- MARPOL 73/78 : 1978
- ISPS Code 2003
- ICAO and IMO document 9636
- IMDG Code 2010 Edition
- ISM Code 2010 Edition
- European Commission Directive 2002/25/EC

**12. Specificities**

The  **Everlux**<sup>®</sup> signs for external environments or wet environments with the presence of water with strong acid or alkaline content (eg limestone, salt and chlorine) should be protected by a transparent anti-graffiti film. This film, besides the anti-vandalism features, provides effective protection to environmental aggressions (pollution, humidity, UV radiation, chemicals ...).